

**Leyland**<sup>®</sup>  
**Trade**

# **Trade** Product Range



The Leyland Trade product range offers a wide selection of quality trade paints, including emulsions, trim, undercoats, primers and floor paint. The broad selection of finishes and vast colour choice provide the options essential for the trade professional's everyday requirements.

**Leyland Emulsions** 02

**Leyland Trim and Undercoats** 04

**Leyland Primers** 06

**Leyland Floor Paint** 07

## Leyland Emulsions



### Vinyl Matt Emulsion

Leyland Vinyl Matt Emulsion is a smooth, hardwearing matt emulsion, providing a top quality and durable finish for interior walls and ceilings.

- High opacity
- Wipeable

<b>Pack Size (litres)</b>	1 / 2.5 / 5 / 10
<b>Coverage (m<sup>2</sup> per litre)</b>	14
<b>Touch Dry (hours)</b>	1
<b>Recoat (hours)</b>	2
<b>Application Method</b>	Brush / Roller / Spray



### Vinyl Silk

Leyland Vinyl Silk is a high quality, easy-to-clean, silk emulsion, suitable for interior use, where a dirt-resisting coating is required. The low odour, quick drying properties ensure minimum disruption during application.

- Washable
- Attractive sheen finish

<b>Pack Size (litres)</b>	1 / 2.5 / 5 / 10
<b>Coverage (m<sup>2</sup> per litre)</b>	12
<b>Touch Dry (hours)</b>	1
<b>Recoat (hours)</b>	3
<b>Application Method</b>	Brush / Roller / Spray



### Soft Sheen

Leyland Soft Sheen is a subtle alternative to traditional Vinyl Matt and Vinyl Silk. Easy to apply, it dries to an attractive mid-sheen finish suitable for interior walls and ceilings.

- Washable and dirt resisting
- Subtle and modern finish

<b>Pack Size (litres)</b>	2.5 / 5
<b>Coverage (m<sup>2</sup> per litre)</b>	12.5
<b>Touch Dry (hours)</b>	1
<b>Recoat (hours)</b>	3
<b>Application Method</b>	Brush / Roller / Spray



### Super Leytex High Opacity Matt Emulsion

Leyland Super Leytex High Opacity Matt Emulsion is a full bodied, quick drying, high opacity, matt finish for interior walls and ceilings. Ideal for work on new plaster, the permeable film allows new plaster surfaces to breathe and dry out.

- Ideal for new plaster
- Excellent opacity

<b>Pack Size (litres)</b>	5 / 10 / 15
<b>Coverage (m<sup>2</sup> per litre)</b>	13
<b>Touch Dry (hours)</b>	1
<b>Recoat (hours)</b>	2
<b>Application Method</b>	Brush / Roller / Spray



### Super Leytex High Opacity Silk Emulsion

Leyland Super Leytex High Opacity Silk Emulsion is a full bodied, high opacity, dirt-resisting, silk finish for interior walls and ceilings.

- Dirt resisting
- Easy to clean

<b>Pack Size (litres)</b>	10
<b>Coverage (m<sup>2</sup> per litre)</b>	12
<b>Touch Dry (hours)</b>	1
<b>Recoat (hours)</b>	3
<b>Application Method</b>	Brush / Roller / Spray



### Acrylic Eggshell

A quick drying, low odour eggshell finish, manufactured from high quality pigments and tough acrylic resin. Suitable for wall and ceiling surfaces in most interior situations.

- 10 Times tougher than conventional Matt and Silk
- Low odour

<b>Pack Size (litres)</b>	0.75 / 2.5 / 5
<b>Coverage (m<sup>2</sup> per litre)</b>	12
<b>Touch Dry (hours)</b>	1
<b>Recoat (hours)</b>	3
<b>Application Method</b>	Brush / Roller / Spray

# Leyland® Trim and Undercoats



## High Gloss

Leyland High Gloss is a top quality, high gloss finish, suitable for use over most types of interior and exterior surfaces. The outstanding flow and levelling properties ensure easy brushing together with excellent opacity.

- Tough and durable
- Interior and exterior use

<b>Pack Size (litres)</b>	0.75 / 2.5 / 5
<b>Coverage (m<sup>2</sup> per litre)</b>	17
<b>Touch Dry (hours)</b>	4
<b>Recoat (hours)</b>	16
<b>Application Method</b>	Brush / Roller



## Acrylic Gloss

Leyland Acrylic Gloss is a tough, non yellowing, water-based gloss finish, manufactured from high opacity pigments and acrylic resin. Suitable for interior and exterior use on both wood and appropriately primed metal surfaces.

- Non yellowing
- Low odour

<b>Pack Size (litres)</b>	0.75 / 2.5
<b>Coverage (m<sup>2</sup> per litre)</b>	10
<b>Touch Dry (hours)</b>	2
<b>Recoat (hours)</b>	6
<b>Application Method</b>	Brush



## One Coat Gloss

Leyland One Coat Gloss is an easy-to-use, self-undercoating, high opacity gloss paint that requires only one coat under most conditions. One Coat Gloss dries to a tough, hardwearing gloss finish on both interior and exterior wood and metal work.

- Excellent opacity
- Tough and durable

<b>Pack Size (litres)</b>	0.75 / 2.5
<b>Coverage (m<sup>2</sup> per litre)</b>	10
<b>Touch Dry (hours)</b>	4
<b>Recoat (hours)</b>	16
<b>Application Method</b>	Brush



## Non Drip Gloss

Leyland Non Drip Gloss is an easy-to-use, drip resistant, hardwearing, polyurethane gloss finish which requires no undercoat. Ideal for use on interior and exterior wood and metalwork.

- Quick and easy to apply
- Drip resistant

<b>Pack Size (litres)</b>	0.75 / 2.5
<b>Coverage (m<sup>2</sup> per litre)</b>	14
<b>Touch Dry (hours)</b>	4
<b>Recoat (hours)</b>	16
<b>Application Method</b>	Brush



## Eggshell

Leyland Eggshell is a superior, mid-sheen, hardwearing, solvent-based finish ideal for interior wood and metal surfaces. Offers excellent sag resistance and easy application.

- Tough and durable
- Smooth, washable finish

<b>Pack Size (litres)</b>	0.75 / 2.5 / 5
<b>Coverage (m<sup>2</sup> per litre)</b>	20
<b>Touch Dry (hours)</b>	4
<b>Recoat (hours)</b>	16
<b>Application Method</b>	Brush / Roller



## Satinwood

Leyland Satinwood is a hardwearing, knock-resistant, satin finish which is self-undercoating and easy to use on interior wood and metalwork.

- Tough and durable
- Protects interior wood and metal

<b>Pack Size (litres)</b>	0.75 / 2.5 / 5
<b>Coverage (m<sup>2</sup> per litre)</b>	20
<b>Touch Dry (hours)</b>	4
<b>Recoat (hours)</b>	16
<b>Application Method</b>	Brush / Roller



## Undercoat

Leyland Undercoat is a dense covering, alkyd-based undercoat, the ideal foundation for Leyland Trade High Gloss. Suitable for interior and exterior use providing a smooth surface on both wood and metalwork.

- High opacity
- Ideal basecoat for gloss

<b>Pack Size (litres)</b>	0.75 / 2.5 / 5
<b>Coverage (m<sup>2</sup> per litre)</b>	17
<b>Touch Dry (hours)</b>	4
<b>Recoat (hours)</b>	16
<b>Application Method</b>	Brush / Roller

continued...





## Acrylic Primer Undercoat

Leyland Acrylic Primer Undercoat is a general purpose water-based undercoat, with quick drying and low odour properties. Suitable for interior and exterior bare timber surfaces.

- Quick drying
- Low odour

<b>Pack Size (litres)</b>	0.75 / 2.5 / 5
<b>Coverage (m<sup>2</sup> per litre)</b>	13
<b>Touch Dry (hours)</b>	0.5
<b>Recoat (hours)</b>	1
<b>Application Method</b>	Brush / Roller

## Leyland Primers



## Wood Primer

Leyland Wood Primer is suitable for use on bare interior and exterior timber surfaces, providing excellent adhesion.

- Excellent adhesion
- Interior and exterior use

<b>Pack Size (litres)</b>	0.75 / 2.5 / 5
<b>Coverage (m<sup>2</sup> per litre)</b>	12
<b>Touch Dry (hours)</b>	4
<b>Recoat (hours)</b>	16
<b>Application Method</b>	Brush / Roller



## Alkali Resisting Wall Primer

Leyland Alkali Resisting Wall Primer is solvent-based for internal plaster and masonry surfaces, resisting alkali attack and promoting first class adhesion. Also suitable for use on other surfaces including wood and fibreglass.

- Excellent adhesion
- Minimises alkali attack

<b>Pack Size (litres)</b>	2.5 / 5
<b>Coverage (m<sup>2</sup> per litre)</b>	10
<b>Touch Dry (hours)</b>	4
<b>Recoat (hours)</b>	16
<b>Application Method</b>	Brush / Roller



## All Purpose Primer

Leyland All Purpose Primer is ideal when priming is required on multiple surfaces. It has been formulated as a general purpose primer to provide a resilient film, promote adhesion on most surfaces and provide excellent anti-corrosive properties.

- Multi-surface primer
- Excellent adhesion

<b>Pack Size (litres)</b>	0.75 / 2.5
<b>Coverage (m<sup>2</sup> per litre)</b>	12
<b>Touch Dry (hours)</b>	4
<b>Recoat (hours)</b>	16
<b>Application Method</b>	Brush / Roller

## Leyland Floor Paint



## Heavy Duty Floor Paint

Leyland Heavy Duty Floor Paint provides a hardwearing, protective, satin finish based on polyurethane alkyd resins which have been designed to withstand spillage and repeated cleaning. Ideal for use on most concrete and wooden floor areas.

- Hardwearing finish
- Resistant to mild chemicals

<b>Pack Size (litres)</b>	2.5 / 5
<b>Coverage (m<sup>2</sup> per litre)</b>	11
<b>Touch Dry (hours)</b>	3
<b>Recoat (hours)</b>	12
<b>Application Method</b>	Brush / Roller

## Case Study




**Linacre Mission Methodist Church, Merseyside:** The building first opened its doors on the 30<sup>th</sup> September 1905 and the hall has remained a place of worship ever since, spanning most of the 20<sup>th</sup> century to the present day.

**Contractor:** Transform Support Services

**Task:** Following a fire in the building that left the walls, ceilings and woodwork covered in smoke residue, Transform Support Services began the job of redecorating the church knowing they had a challenging timescale of exactly one month to complete the work.

**Product:** A variety of Leyland products were applied including emulsions, primers, undercoats and gloss using a varied colour palette. The ornate and decorative plaster ceilings and panels have been brought back to life with the precise painting skills and patience of Transform Support Services.



**Background:** The team of six decorators and many cleaning operatives began the necessary task of preparing all of the smoke damaged surfaces by washing them down to remove all traces of contamination. This in itself was a time consuming process, but an essential step. The first coat of emulsion was applied by airless spray to many areas to save time and then the detail of picking out intricate areas of the mouldings was completed by brush. The team achieved an outstanding finish and returned this place of worship back to its original beauty.

# Leyland® Tinting Service

Welcome to a world of **colour...**

The Leyland tinting service provides a selection of the thousands of colours that can be mixed in a range of high quality Leyland finishes, available from your local Leyland tinting stockist.


Also available from Leyland tinting are the BS4800, RAL, NCS and Leyland colour ranges.

Offering a comprehensive and balanced selection across the entire colour spectrum, the Leyland tinting service utilises NCS notation to guide you around the world of colour, making selection easy.

If you already have a colour in mind, the unique ColorXpress colour matching service is available to all Leyland customers. Accurate, fast and free of charge, advanced ColorXpress technology will ensure matches to samples of paint, fabric, wallpaper and even tiles. Contact ColorXpress on +44 (0)1924 354321.

# Leyland® Literature Range

There is a full range of Leyland product literature available, please contact **+44 (0)1924 354600** or visit your local Leyland stockist.



For further information please contact:

Technical Advisory: **+44 (0)1924 354100**

Sales enquiries: **+44 (0)1924 354600**



**PPG Architectural Coatings EMEA**  
Region UK and Ireland

**PPG Architectural Coatings UK Limited**

Huddersfield Road, Birstall, Batley, West Yorkshire WF17 9XA

Tel: +44 (0)1924 354000 Fax: +44 (0)1924 354001

Made in the EU. [www.leylandtrade.com](http://www.leylandtrade.com)



Certificate No. BSM1265

All Leyland products are  
manufactured under a quality  
system approved by the BSI.